




# SafAle™ BW-20



#### THE RIGHT YEAST FOR A WHEAT & SPICY BEER

Specialty yeast selected for the production of wheat beers having neutral fruity flavors with specific phenolic character (clove and peppery notes). Yeast that doesn't completely ferment maltotriose giving some mouthfeel to the beer. Yeast having a medium sedimentation forms no clumps but a powdery haze when resuspended in the beer.

## **Ingredients:**

Yeast (Saccharomyces cerevisiae POF+), Emulsifier: sorbitan monostearate (E/INS 491)

Total esters Highmedium

Total superior alcohols High-medium

Apparent attenuation 77-83%

**Flocculation** Low

Sedimentation Medium

Experimental conditions: Standard wort in EBC tube at 18°P at 20°C/68°F.

Fermentis dry brewing yeasts are well known for their ability to produce a large variety of beer styles. In order to compare our strains, we ran fermentation trials in laboratory conditions with a standard wort for all the strains and standard temperature conditions (SafLager™: 12°C/53.6°F for 48h then 14°C/57.2°F - SafAle™: 20°C/68°F).

Given the impact of yeast on the quality of the final beer, we recommend adhering to the prescribed fermentation instructions. We strongly advise users to make fermentation trials before any commercial usage of our products.

Fermentation temperature: Ideally 18-26°C (64.4-78.8°F)




**Pitching:** Lesaffre know-how and continuous yeast production process improvement generates an exceptional quality of dry yeasts able to resist to a very wide range of uses, incl. cold or no rehydration conditions, without affecting their viability, kinetic and/or analytical profile. Brewers can choose usage conditions that fit the best their needs, i.e.:

With our E2UTM label, you have the choice: you can rehydrate or you can pitch directly; depending on your equipment, habits and feelings.

#### **Direct Pitching**

Pitch the yeast directly in the fermentation vessel on the surface of the wort at or above the fermentation temperature. Progressively sprinkle the dry yeast into the wort ensuring the yeast covers all the surface of wort available to avoid clumps. Ideally, the yeast will be added during the first part of the filling of the vessel; in which case hydration can be done at wort temperature higher than fermentation temperature, the fermenter being then filled with wort at lower temperature to bring the entire wort temperature at fermentation temperature.





#### With prior rehydration

Alternatively, sprinkle the yeast in minimum 10 times its weight of sterile water or boiled and hopped wort at 25 to 29°C (77°F to 84°F). Leave to rest 15 to 30 minutes, gently stir and pitch the resultant cream into the fermentation vessel.

**Dosage:** 50 - 80 g/hL (0.07 - 0.11 oz/gal)

# Typical values<sup>1</sup>:

- Viable yeast:  $> 1.0 *10^{10} cfu/g$
- Purity: > 99.999 %
  - Lactic acid bacteria: < 1 cfu /107 yeast cell
  - Acetic acid bacteria: < 1 cfu /10<sup>7</sup> yeast cell
  - Pediococcus: < 1 cfu /10<sup>7</sup> yeast cell
  - Total Bacteria: < 5 cfu /10<sup>7</sup> yeast cell
  - "Wild" Yeast<sup>2</sup>: < 1 cfu /10<sup>7</sup> yeast cell
  - Pathogenic micro-organisms: in accordance with regulation

## Storage:

The product must be stored/transported in dry conditions and protected from direct sunlight. For less than 6 months, the product can be stored/transported at ambient temperature below 25°C (77°F) without affecting its performances. Peaks up to 40°C (104°F) are allowed for a limited period of time (less than 5 days). Fermentis recommends a long-term storage at a controlled temperature (below 15°C/59°F), once the product arrives to the final destination.

#### Shelf life:

36 months from production date. Refer to "best before" date printed on the sachet. Opened sachets must be sealed and stored at 4°C (39°F) or lower and used within 7 days of opening. Do not use soft or damaged sachets.

The information provided by Fermentis is for informational purposes to the attention of professionals only. We make no representation or warranty of any kind, express or implied, regarding the information: regulatory and intellectual property requirements (including product use and claims) shall be reviewed locally for their particular purposes.



<sup>&</sup>lt;sup>1</sup>Analysis done according to our HACCP study

<sup>&</sup>lt;sup>2</sup>EBC Analytica 4.2.6 – ASBC Microbiological Control-5D